



SANME



TES 系列 三轴椭筛



TES Series Triaxial Elliptical Screen



上海山美环保装备股份有限公司
SHANGHAI SANME MINING MACHINERY CORP., LTD.
(中德合资控股)
(Sino-German JV Holding)

TES系列三轴椭圆筛

TES Series Triaxial Elliptical Screen



TES系列三轴椭圆筛是消化、吸收国内外同类型振动筛技术而研制的振动筛，因水平安装，占用现场空间小，而广泛运用于冶金、建材、交通等行业。

TES series of three-axis elliptical screen is the advanced vibrating screen with advanced screening technology. Because of the horizontal installation, TES Series screen only occupies a small area and has been widely used in metallurgy, building materials, transportation, etc.

特点及优势

- 处理能力大，筛分效率高。
- 筛机运行轨迹为椭圆，运动平稳、功耗低。
- 双振幅(15-19mm)、振动方向角(30°-60°)、振动频率(645-875r/min)可调，调整方便、简捷；物料筛分顺畅，不易堵孔、堵料。

Features and Benefits

- Large capacity, high screening efficiency.
- Running track of screen is oval, Moving smoothly, Low consumption in power.
- Double amplitude (15-19mm), Vibrating angle (30°-60°), Easy and convenient to adjust screen frequency (645-875 r/min). Smooth to screen materials and not likely to plug.

技术参数 Technical Data

型号 Model	规格 Specification (W×L)m	筛面面积 Screen Area (m ²)	筛面 Screen Mesh		最大进料粒度 Max Feeding Size(mm)	双振幅 Double Amplitude (mm)	振动频率 Vibrating Frequency(r/min)	处理能力 Capacity (t/h)	电机功率 Motor Power (kw)	重量 Weight (t)
			层数 Deck	筛网 Mesh						
2TES1852	1.8x5.2	9.45	2	编织 woven wire cloth	150	14-18	645-875	120-250	22	7.6
3TES1852	1.8x5.2	9.45	3	编织 woven wire cloth		14-18		120-250	30	8.7
2TES1860	1.8x6.0	10.8	2	编织 woven wire cloth		14-18		160-320	37	9.2
3TES1860	1.8x6.0	10.8	3	编织 woven wire cloth		14-18		160-320	37	11.2
2TES2060	2.0x6.0	12	2	编织 woven wire cloth		14-18		200-385	37	10.5
3TES2060	2.0x6.0	12	3	编织 woven wire cloth		14-18		200-385	45	12.3
2TES2460	2.4x6.0	14.4	2	编织 woven wire cloth		14-18		240-462	45	13.2
3TES2460	2.4x6.0	14.4	3	编织 woven wire cloth		14-18		240-462	45	15.1



上海山美环保装备股份有限公司
SHANGHAI SANME MINING MACHINERY CORP., LTD.
(中德合资控股)
(Sino-German JV Holding)



山美股份官方微信

版权所有 翻印必究 中国印制 Printed in China
SANME-35C | TES | 2020-09 | 5000

地址：上海市奉贤区青村镇奉村路 258 号
邮编：201414
电话：021-5759 1166 5759 1188
传真：021-5756 6188 5820 0089
网址：www.shsmzj.com
电邮：info@sanmecorp.com

Add: No.258, Fengcun Road, Qingcun County, Fengxian District,
Shanghai 201414, China
Tel: +86-21-5712 1166 5759 1188
Fax: +86-21-5756 6188 5820 0089
Website: www.sanmecrusher.com
E-mail: sales@sanmecorp.com

免费热线：400-921-5566
售后专线：021-5712 7766

Free Hotline: 400-921-5566
Service Center: +86-21-5712 7766

- 我们的产品在不断的更新和改进中，我们保留在未事先告知用户的情况下，更改参数及设计的权力。
Our products are constantly updated and improved, we reserve the right to change parameters and design without advance notification of customers.
- 照片中产品外观颜色与实际机型存在差异，颜色标准以实物为准。
If there are any discrepancy and difference between color of product appearance and actual machine type in the picture, color standard is subject to actual object.
- 本手册中的配置不一定是出厂标准配置，购买时请详细咨询我们。
Specifications and design in the brochures are not always the standard. Please consult us particularly when purchasing.